AinscoughMetals.co.uk
Phone 01695 364210

Used Static Waste Compactor - Moovmor Engineering Ltd Year 2005

Our Ref: 21543

Price : £3,540.00 inc VAT.

Website : Click here to view this item on our website

If you have any questions please do not hesitate to contact us

---

AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210





AinscoughMetals.co.uk
Phone 01695 364210



AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210

AINSCOUGH METALS

OPERATING INSTRUCTIONS FOR MOOVMOR COMPACTOR



Compacting - Normal Operation

- Ensure Mains Power is on. Release the 'EMERGENCY STOP' and press 'SYSTEM RESET' button, if necessary.
- Set the selector switch to No.1 - 'AUTO' position.
- Load refuse into compactor hopper or chute and close loading door(s)
- Press Green 'START' button. The compactor will now cycle back and forth for the period set on the timer, (usually 2 to 3 cycles), and switch off automatically.
- Continue to operate compactor as required until the packing blade stops automatically in the forward position. The 'BIN FULL' light will now indicate that the container is full.
- NB. The 'BIN FULL' light can also indicate that a temporary blockage has jammed the system. If the operator feels that the bin may not be full, then press the 'SYSTEM RESET' button, and press the green 'START' button to restart and clear the system. For more difficult blockages switch to Manual Operation and work the packing blade back and forth until the chamber is clear.
- Once the container is full the operator should notify the waste contractor for a bin change. In the meantime the compactor may be used for a period in the Manual mode.

Manual Operation

- Ensure Mains Power is on. Release the 'EMERGENCY STOP' and press 'SYSTEM RESET' button, if necessary.
- Set the selector switch to No.2 - 'MANUAL' position.
- Load refuse into compactor hopper or chute and close loading door(s)
- Press Green 'Start' button.
- Press 'Forward' and 'Reverse' buttons as required to Compact the waste into the container.
- This procedure may be continued until the contractor arrives. However the system may not take a large volume of waste after the bin is full.

Pinning Off

AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS

AinscoughMetals.co.uk
Phone 01695 364210



AINSCOUGH METALS